IN THE CLAIMS:

Please cancel claims 43 and 44, and amend the claims as follows:

1.   (Currently Amended)   A method for managing bookmark information in a data structure residing on a computer, comprising:

receiving ~~the~~ a plurality of bookmark information entries ~~from a plurality of sources networked to the computer~~, each of the bookmark information entries comprising ~~source identifier information and~~ a bookmarked network ~~addresses~~ and corresponding source identifier information identifying a specific source, of a plurality of sources, at which the bookmarked network address was bookmarked; wherein each of the specific sources identified in the bookmark information entries is a different one of the plurality of sources; and

storing the bookmark information entries in the data structure.

2.   (Original)   The method of claim 1, further comprising collecting the network addresses and source identifier information during an Internet browsing session.

3.   (Cancelled)

4.   (Original)   The method of claim 1, wherein the plurality of sources is selected from the group comprising of a laptop, a cellular phone, e-mail, a personal data assistant, a set-top box, a watch, a hand-held computer, a pager, and a desktop computer.

5.   (Original)   The method of claim 1, wherein the data structure is a bookmark table having at least one bookmark entry.

6.   (Cancelled)

7.   (Cancelled)

249978_1

8.   (Original)   The method of claim 2, further comprising populating a plurality of fields with the bookmark information to form the at least one bookmark entry.

9.   (Original)   The method of claim 2, further comprising collecting the bookmark information as at least one bookmark entry in a bookmark table.

10.   (Currently Amended)   The method of claim 2, ~~further comprising, prior to receiving the bookmark information, sending the bookmark information from at least one of the plurality of sources to the computer in an instance where a bookmark was generated at the at least one of the plurality of sources~~ wherein the plurality of bookmark entries is received from a remote network source different from any of the plurality of sources.

11.   (Currently Amended)   The method of claim 2, further comprising, prior to receiving the bookmark information entries:
         ~~collecting the network addresses by one or more of the plurality of sources;~~
         storing the network addresses as bookmarks containing source identifier information identifying the corresponding specific resource performing the storing; and
         sending stored bookmark addresses and corresponding source identifier information ~~the bookmark information~~ to the computer as bookmark information entries.

12.   (Currently Amended)   The method of claim 2, further comprising, prior to receiving the bookmark information entries:
         browsing[[,]] a network connected to the plurality of sources and comprising network addresses ~~identified by the network addresses~~;
         ~~collecting the network addresses by one or more of the plurality of sources;~~
         storing the network addresses as bookmarks containing source identifier information identifying the corresponding specific resource performing the storing; and
         sending stored bookmark addresses and corresponding source identifier information ~~the bookmark information~~ to the computer as bookmark information entries.

Page 3

249978_1

13.   (Original)   The method of claim 12, wherein the network is the Internet and the network addresses are Uniform Resource Locators (URLs).

14.   (Original)   The method of claim 10, wherein the plurality of sources is selected from the group comprising of a laptop, a cellular phone, e-mail, a personal data assistant, a set-top box, a watch, a hand-held computer, a pager, and a desktop computer.

15.   (Original)   The method of claim 1, wherein the source identifier information is selected from the group comprising of the laptop, the cellular phone, e-mail, the personal data assistant, the set-top box, the watch, the hand-held computer, a pager, and a desktop computer.

16.   (Original)   The method of claim 2, wherein the source identifier information is selected from the group comprising of person, location, sender, channel, program, and phone number.

17.   (Original)   The method of claim 1, wherein the bookmark information received from the plurality of sources may be administered at a local computer based on the source identifier information.

18.   (Currently Amended)   A computer-readable medium having instructions or programs which, when executed by a process cause the process to perform a method, comprising:

receiving ~~the~~ a plurality of bookmark information entries ~~from a plurality of sources networked to the computer~~, each of the bookmark information entries comprising ~~source identifier information and~~ a bookmarked network addresses and corresponding source identifier information identifying a specific source, of a plurality of sources, at which the bookmarked network address was bookmarked; wherein each of

Page 4

249978_1

the specific sources identified in the bookmark information <u>entries is a different one of the plurality of sources</u>; and

storing the bookmark information <u>entries</u> in the data structure.

19.   (Original)   The computer-readable medium of claim 18, further comprising collecting the network addresses and source identifier information during an Internet browsing session.

20.   (Cancelled)

21.   (Original)   The computer-readable medium of claim 18, wherein the plurality of sources is selected from the group comprising of a laptop, a cellular phone, e-mail, a personal data assistant, a set-top box, a watch, a hand-held computer, a pager, and a desktop computer.

22.   (Original)   The computer-readable medium of claim 18, wherein the data structure is a bookmark table having at least one bookmark entry.

23.   (Cancelled)

24.   (Cancelled)

25.   (Original)   The computer-readable medium of claim 19, further comprising populating a plurality of fields with the bookmark information to form the at least one bookmark entry.

26.   (Original)   The computer-readable medium of claim 19, further comprising collecting the bookmark information as at least one bookmark entry in a bookmark table.

27.   (Currently Amended)   The computer-readable medium of claim 19, ~~further comprising, prior to receiving the bookmark information, sending the bookmark~~

~~information from at least one of the plurality of sources to the computer in an instance where a bookmark was generated at the at least one of the plurality of sources~~ wherein the plurality of bookmark entries is received from a remote network source different from any of the plurality of sources..

28.   (Currently Amended)   The computer-readable medium of claim 19, further comprising, prior to receiving the bookmark information entries:

~~collecting the network addresses by one or more of the plurality of sources;~~

storing the network addresses as bookmarks containing source identifier information identifying the corresponding specific resource performing the storing; and

sending stored bookmark addresses and corresponding source identifier information ~~the bookmark information~~ to the computer as bookmark information entries.

29.   (Currently Amended)   The computer-readable medium of claim 19, further comprising, prior to receiving the bookmark information entries:

browsing[[,]] a network connected to the plurality of sources and comprising network addresses ~~identified by the network addresses~~;

~~collecting the network addresses by one or more of the plurality of sources;~~

storing the network addresses as bookmarks containing source identifier information identifying the corresponding specific resource performing the storing; and

sending stored bookmark addresses and corresponding source identifier information ~~the bookmark information~~ to the computer as bookmark information entries.

30.   (Original)   The computer-readable medium of claim 29, wherein the network is the Internet and the network addresses are URLs.

31.   (Original)   The computer-readable medium of claim 27, wherein the plurality of sources is selected from the group comprising of a laptop, a cellular phone, e-mail, a personal data assistant, a set-top box, a watch, a hand-held computer, a pager, and a desktop computer.

249978_1

32.   (Currently Amended)   The computer-readable medium of claim 18 wherein ~~the source identifier information identifies individual~~ each sources of the plurality of sources <u>is a different device and wherein the source identifier information further</u> <u>identifies a context in which a corresponding network address was bookmarked on the</u> <u>respective specific source.</u>

33.   (Original)   The computer-readable medium of claim 19, wherein the source identifier information is selected from the group comprising of person, location, sender, channel, program, and phone number.

34.   (Original)   The computer-readable medium of claim 18, wherein the bookmark Information received from the plurality of sources may be administered at a local computer based on the source identifier information.

35.   (Currently Amended)   An apparatus, comprising:
a computer;
~~at least one~~ <u>a plurality of</u> bookmarking device<u>s each</u> having a unique source identifier associated therewith and containing a ~~first~~ browser adapted to process network addresses and bookmark selected ones of the network addresses; and
a network connection connecting the computer to the ~~at least one~~ <u>plurality of</u> bookmarking device<u>s</u>, wherein the ~~at least one~~ <u>plurality of</u> bookmarking device<u>s</u> transfer<u>s</u> the <u>respective</u> selected ones of the bookmarked network addresses and the <u>respective</u> unique source identifier to the computer via the network connection in a manner preserving an association between the selected ones of the <u>respective</u> bookmarked network addresses and the <u>respective</u> unique source identifier, <u>whereby a</u> <u>user managing the bookmarked network addresses on the computer can identify their</u> <u>respective sources.</u>

36.   (Original)   The apparatus of claim 35, wherein the network connection comprises the Internet.

249978_1

37.   (Original)   The apparatus of claim 35, wherein the network connection comprises a wireless connection.

38.   (Currently Amended)   The apparatus of claim 35 wherein the unique source identifiers are selected from the group comprising of a laptop, a cellular phone, e-mail, a personal data assistant, a set-top box, a watch, a hand-held computer, a pager, and a desktop computer.

39.   (Original)   The apparatus of claim 35, wherein the computer comprises a data structure for storing the network addresses and unique source identifiers.

40.   (Original)   The apparatus of claim 39, wherein the data structure is a bookmark table having at least one bookmark entry.

41.   (Cancelled)

42.   (Original)   The apparatus of claim 40, wherein the computer further comprises a second browser for managing the data structure.

43.   (Cancel)

44.   (Cancel)

249978_1